



รีไลแอนด์ เทคโนโลยี แอนด์ เซอร์วิส
RELIANCE TECHNOLOGY AND SERVICE



สินค้า PROMOTION PRESSURE GAUGE

บริษัท รีไลแอนด์ เทคโนโลยี แอนด์ เซอร์วิส จำกัด

เบอร์โทรติดต่อ 02-4155818-20, 089-4788877 , 086-0723286

AD-D-2-2NM

Model: AD-D-X-XXX-XXXX BAR+PSI-FG

Nominal Size	: 63 mm.
Type of mounting	: Direct Bottom Entry
Case & bezel	: Bayonet, AISI 304 SS
Gauge Connection	: 1/4" NPT (M)
Bourdon tube, Socket	: AISI 316L SS
Accuracy	: $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ADD075

Model : AD-D-2-2NM-0/600PSI-PY

Stock : 1 ea (GLY)

Price : 360 Baht



Code : ADD087

Model : AD-D-2-2NM- -1-0BAR+PSI-FG

Stock : 3 ea

Price : 540 Baht



Code : ADD144

Model : AD-D-2-2NM-0/60PSI-PY

Stock : 1 ea (GLY)

Price : 360 Baht



Code : ADD003

Model : AD-D-2-2NM-0/6BAR+PSI-FG

Stock : 1 ea

Price : 300 Baht



Code : ADD005

Model : AD-D-2-2NM-0/16BAR+PSI-FG

Stock : 13 ea

Price : 320 Baht



Code : ADD005 [Brand: WAREE]

Model : AD-D-2-2NM-0/16BAR+PSI-FG

Stock : 4 ea

Price : 320 Baht



Code : ADD006

Model : AD-D-2-2NM-0/25BAR+PSI-FG

Stock : 18 ea

Price : 470 Baht




Code : ADD008 [Brand: WAREE]

Model : AD-D-2-2NM-0/60BAR+PSI-FG

Stock : 1 ea

Price : 370 Baht



Code : ADD013 [Brand: WAREE]

Model : AD-D-2-2NM-0/1000PSI+BAR-FG

Stock : 8 ea

Price : 310 Baht



Code : ADD016 [Brand: WAREE]

Model : AD-D-2-2NM-0/16KG/CM2+PSI-FG

Stock : 1 ea

Price : 360 Baht



Code : ADD019

Model : AD-D-2-2NM-0/600PSI-FG-SG

Stock : 1 ea

Price : 320 Baht



Code : ADD020

Model : AD-D-2-2NM--760MMHG/0BAR-FG

Stock : 7 ea

Price : 560 Baht



Code : ADD043

Model : AD-D-2-2NM-0/250KG/CM2+PSI-FG

Stock : 6 ea (GLY)

Price : 480 Baht



Code : ADD054

Model : AD-D-2-2NM-0/10BAR+PSI+FG

Stock : 17 ea

Price : 300 Baht



Code : ADD196

Model : AD-D-2-2NM-0/6BAR-FG

Stock : 6 ea

Price : 530 Baht

AD-D-2-3NM

Model : AD-D-X-XXX-XXXX BAR+PSI-FG

Nominal Size : 63 mm.
Type of mounting : Direct Bottom Entry
Case & bezel : Bayonet, AISI 304 SS
Gauge Connection : 3/8" NPT(M)
Bourdon tube, Socket : AISI 316L SS
Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine



Code : ADD004 [Brand: WAREE]

Model : AD-D-2-3NM-0/10BAR+PSI-FG

Stock : 2 ea

Price : 300 Baht

AD-C-4-2NM

Model : AD-C-4-XXX-XXXX BAR+PSI-FG

Nominal Size : 50 mm.
Type of mounting : Direct Center Back Entry
Case & bezel : Bayonet, AISI 304 SS
Gauge Connection : 1/4" NPT (M)
Bourdon tube, Socket : AISI 316L SS
Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled , : FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ADC109

Model : AD-C-4-2NM-0/250BAR+PSI-FG

Stock : 4 ea

Price : 430 Baht

AD-D-2-2TM

Model : AD-D-X-XXX-XXXX BAR+PSI-FG

Nominal Size : 63 mm.

Type of mounting : Direct Bottom Entry

Case & bezel : Bayonet, AISI 304 SS

Gauge Connection : 1/4" BSPT(M)

Bourdon tube, Socket : AISI 316L SS

Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled

: FG = Fillable Liquid Glycerine



Code : ADD021 [Brand: WAREE]

Model : AD-D-2-2TM-0/600PSI+BAR-FG

Stock : 6 ea

Price : 340 Baht



Code : ADD107

Model : AD-D-2-2TM-0/600PSI+BAR-FG (NH3+LPG)

Stock : 2 ea

Price : 400 Baht



Code : ADD138

Model : AD-D-2-2TM-0/60PSI+BAR(Dual scale)-FG-SZ

Stock : 8 ea

Price : 450 Baht

AD-D-4-2NM

Model : AD-D-X-XXX-XXXX BAR+PSI-FG

Nominal Size : 63 mm

Type of mounting : Direct Center Back Entry

Case & bezel : Bayonet, AISI 304 SS

Gauge Connection : 1/4 NPT (M)

Bourdon tube, Socket : AISI 316L SS

หมายเหตุ : PY = Dampening Liquid Glycerine Filled

: FG = Fillable Liquid Glycerine

: SZ = Welded Socket To The Case



Code : ADD036 [Brand: WAREE]

Model : AD-D-4-2NM-0/16BAR+PSI-FG

Stock : 6 ea

Price : 240 Baht



Code : ADD037 [Brand: WAREE]

Model : AD-D-4-2NM-0/25BAR+PSI-FG

Stock : 4 ea

Price : 440 Baht

AD-D-13-2NM

Model : AD-D-X-XXX-XXXX BAR+PSI-FG

Nominal Size : 63 mm (2-1/2")

Type of mounting : Center Back Entry With Mounting Bracket

Case & bezel : Bayonet, AISI 304 SS

Gauge Connection : 1/4" NPT(M)

Bourdon tube, Socket : AISI 316L SS

Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled

: FG = Fillable Liquid Glycerine

: SZ = Welded Socket To The Case



Code : ADD076

Model : AD-D-13-2NM-0/600PSI-PY

Stock : 2 ea (GLY)

Price : 520 Baht



Code : ADD146

Model : AD-D-13-2NM-0/400PSI+BAR-PY

Stock : 2 ea

Price : 520 Baht



Code : ADD172

Model : AD-D-13-2NM-0/160PSI+BAR-PY

Stock : 1 ea (GLY)

Price : 520 Baht



Code : ADD027

Model : AD-D-13-2NM-0/60PSI-FG

Stock : 2 ea

Price : 460 Baht



Code : ADD029

Model : AD-D-13-2NM-0/400PSI-FG

Stock : 3 ea

Price : 460 Baht

AE-G-1-4NM

Model : AE-G-X-XXX-XXXX

Nominal Size	: 4 ½ "
Type of mounting	: Wall / Surface /Projection Mounting With Bottom Entry
Case & bezel	: Black Glass Reinforce Thermoplastic (PBTP)
Gauge Connection	: 1/2" NPT (M) Standard
Bourdon tube, Socket	: AISI 316L SS
Accuracy	: ± 0.5% F. S.
หมายเหตุ	: PY = Dampening Liquid Glycerine Filled : FG = Fillable Liquid Glycerine



Code : AEG001 [Brand: WAREE]

Model : AE G-1-4NM-0/10BAR

Stock : 1 ea

Price : 760 Baht

AF-F-2-3NM

Model : AF-F-X-XXX-XXXX

Nominal Size	: 100 mm.
Case & bezel	: AISI 304 SS (Bayonet Type)
Type of mounting	: Direct Bottom Entry
Gauge Connection	: 3/8" NPT (M)
Bourdon tube, Socket	: AISI 316L SS
Accuracy	: ±1.6%F.S.



Code : AFF001

Model : AF-F-2-3NM-0/10KPA

Stock : 2 ea

Price : 760 Baht

AF-F-2

Model : AF-F-X-XXX-XXXX

Nominal Size	: 100 mm.
Case & bezel	: AISI 304 SS (Bayonet Type)
Type of mounting	: Lower Back Entry With Front Flange
Gauge Connection	: 1/4" NPT (M)
Bourdon tube, Socket	: AISI 316L SS
Accuracy	: ±1.6%F.S.



Code : AFF040

Model : AF-F-2-xxx-400/600MMH20

Stock : 3 ea

Price : 2,700 Baht

AF-F-2-4NM

Model : AF-F-X-XXX-XXXX

Nominal Size : 100 mm.
Case & bezel : AISI 304 SS (Bayonet Type)
Type of mounting : Direct Bottom Entry
Gauge Connection : 1/2" NPT (M)
Bourdon tube, Socket : AISI 316L SS
Accuracy : $\pm 1.6\%$ F.S.



Code : AFF051

Model : AF-F-2-4NM-0/600MMH20-RX

Stock : 1 ea

Price : 2,400 Baht

AG-F-2-3NM

Model :AG-F-2-XXX-XXXXBar+PSI-FG

Nominal Size : 100 mm.
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Direct Bottom Entry
Gauge Connection : 3/8" NPT (M)
Accuracy : $\pm 1.6\%$ of F.S.
หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : AGF042

Model : AG-F-2-3NM-0/16KG/CM2+PSI-FG

Stock : 10 ea

Price : 630 Baht



Code : AGF035

Model : AG-F-2-4NM-0/6KG/CM2+PSI-FG

Stock : 6 ea

Price : 490 Baht



Code : AGF102

Model : AG-F-2-4NM-0/25BAR+PSI-FG

Stock : 8 ea

Price : 550 Baht

AG-F-2-2BM

Model :AG-F-2-XXX-XXXXBar+PSI-FG

Nominal Size : 100 mm
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Direct Bottom Entry
Gauge Connection : 1/4" BSP(M) Standard
Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : AGF027

Model : AG-F-2-4BM-0/40BAR+PSI-FG

Stock : 5 ea

Price : **540 Baht**



Code : AGF028

Model : AG-F-2-4BM-0/60BAR+PSI-FG

Stock : 5 ea

Price : **600 Baht**

AG-F-3-4NM

Model :AG-F-X-XXX-XXXXBAR+PSI-FG

Nominal Size : 100 mm.

Case & bezel : Bayonet,AISI 304 SS

Bourdon tube,Socket : Brass

Type of mounting : Direct Lower Back Entry

Gauge Connection : 1/2" NPT (M) STANDARD

Accuracy : +-1.6% of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled

: FG = Fillable Liquid Glycerine

: SZ = Welded Socket To The Case



Code : AGF004

Model : AG-F-3-4NM-0/6BAR+PSI-FG

Stock : 10 ea

Price : **840 Baht**



Code : AGF005

Model : AG-F-3-4NM-0/10BAR+PSI-FG

Stock : 8 ea

Price : **690 Baht**



Code : AGF006

Model : AG-F-3-4NM-0/16BAR+PSI-FG

Stock : 10 ea

Price : **690 Baht**

AG-F-3-4BM

Model :AG-F-X-XXX-XXXXBAR+PSI-FG

Nominal Size : 100 mm.
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Direct Lower Back Entry
Gauge Connection : 1/2" BSP (M) STANDARD
Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : AGF094

Model : AG-F-3-4BM-0/250BAR/PSI-FG

Stock : 6 ea (GLY)

Price : **660 Baht**

AG-F-5-2BM

Model :AG-F-X-XXX-XXXXBAR+PSI-FG

Nominal Size : 100 mm.
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Lower Back Entry With Front Flange
Gauge Connection : 1/4" BSP (M) STANDARD
Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : AGF030

Model : AG-F-5-2BM-0/10BAR+PSI-FG

Stock : 3 ea

Price : **660 Baht**



Code : AGF091

Model : AG-F-5-XXX-0/250BAR+PSI-FG

Stock : 1 ea

Price : **770 Baht**

AG-F-5-4BM

Model :AG-F-X-XXX-XXXXBAR+PSI-FG

Nominal Size : 100 mm.
 Case & bezel : Bayonet,AISI 304 SS
 Bourdon tube,Socket : Brass
 Type of mounting : Lower Back Entry With Front Flange
 Gauge Connection : 1/2" BSP (M) STANDARD
 Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
 : FG = Fillable Liquid Glycerine
 : SZ = Welded Socket To The Case



Code : AGF011

Model : AG-F-5-4BM-0/6BAR+PSI-FG

Stock : 5 ea

Price : 660 Baht



Code : AGF013

Model : AG-F-5-4BM-0/25BAR+PSI-RX-SG

Stock : 3 ea

Price : 1,250 Baht



Code : AGF014

Model : AG-F-5-4BM-0/16BAR+PSI-FG

Stock : 3 ea

Price : 550 Baht



Code : AGF015

Model : AG-F-5-4BM-0/40BAR+PSI-RX-SG

Stock : 6 ea

Price : 820 Baht



Code : AGF031

Model : AG-F-5-4BM-1/3BAR+PSI-FG

Stock : 3 ea

Price : 630 Baht



Code : AGF088

Model : AG-F-5-4BM-(-1)/1.5BAR+PSI-PY

Stock : 8 ea (GLY)

Price : 620 Baht



Code : AGF090

Model : AG-F-5-4BM-1/5BAR+PSI-FG

Stock : 5 ea

Price : 750 Baht

AT-B-4-1BM

Model :AT-B-4-XXX-XXXXBAR+PSI-FG

Nominal Size : 40 mm.
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Direct Center Back Entry
Gauge Connection : 1/8" BSP (M)
Accuracy : $\pm 1.6\%$ of F.S.
หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ATB050

Model : AT-B-4-1BM-0/10BAR+PSI-FG

Stock : 11 ea

Price : 160 Baht

AT-B-4-2BM

Model :AT-B-4-XXX-XXXXBAR+PSI-FG

Nominal Size : 40 mm.
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Direct Center Back Entry
Gauge Connection : 1/4" BSP (M)
Accuracy : $\pm 1.6\%$ of F.S.
หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ATB051

Model : AT-B-4-2BM-0/10BAR+PSI-FG

Stock : 2 ea

Price : 230 Baht

AT-D-13-2NM

Nominal Size : 63 mm.

Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Center Back Entry With Mounting Bracket
Gauge Connection : 1/4" NPT (M)
Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ATD037 [Brand WAREE]

Model : AT-D-13-2NM--30inHg/0+ -100 KPA/0-FG

Stock : 14 ea

Price : 290 Baht

AT-D-12-2NM

Nominal Size : 63 mm.

Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Center Back Entry With Mounting Bracket
Gauge Connection : 1/4" NPT (M)
Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ATD049

Model : AT-D-12-2NM-0/16BAR+PSI-FG

Stock : 10 ea

Price : 270 Baht

AT-D-2-2NM

Model :AT-D-2-XXX-XXXXBar+psi-FG

Nominal Size : 63 mm.
Type of mounting : Direct bottom entry
Case & bezel : Bayonet,AISI 304 SS
Gauge Connection : 1/4" NPT(M)
Accuracy : $\pm 1.6\%$ of F.S.
Bourdon tube,Socket : Brass

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ATD001

Model : AT-D-2-2NM-0/6BAR+PSI-FG

Stock : 2 ea

Price : 290 Baht



Code : ATD003 [Brand WAREE]

Model : AT-D-2-2NM-0/40BAR-FG

Stock : 1 ea

Price : 260 Baht



Code : ATD004

Model : AT-D-2-2NM-0/10KG/CM2+PSI-FG

Stock : 1 ea

Price : 230 Baht



Code : ATD007

Model : AT-D-2-2NM--760MMHG/0+BAR-FG

Stock : 4 ea

Price : 220 Baht



Code : ATD009

Model : AT-D-2-2NM-0/2.5BAR+PSI-FG

Stock : 7 ea

Price : 210 Baht



Code : ATD011

Model : AT-D-2-2NM-0/16BAR+PSI-FG

Stock : 1 ea

Price : 210 Baht



Code : ATD012

Model : AT-D-2-2NM-0/25BAR+PSI-FG

Stock : 10 ea

Price : 230 Baht



Code : ATD012 [Brand WAREE]

Model : AT-D-2-2NM-0/25BAR+PSI-FG

Stock : 1 ea

Price : 230 Baht



Code : ATD033

Model : AT-D-2-2NM--1/3BAR+PSI-PY

Stock : 20 ea

Price : 240 Baht



Code : ATD033 [Brand WAREE]

Model : AT-D-2-2NM--1/3BAR+PSI-PY

Stock : 3 ea

Price : 240 Baht



Code : ATD034 [Brand WAREE]

Model : AT-D-2-2NM-0/25BAR+PSI-PY

Stock : 17 ea

Price : 220 Baht



Code : ATD035 [Brand WAREE]

Model : AT-D-2-2NM-0/250BAR+PSI-PY

Stock : 2 ea

Price : 280 Baht



Code : ATD046

Model : AT-D-2-2NM-0/60BAR+PSI+FG

Stock : 4 ea

Price : 240 Baht



Code : ATD047

Model : AT-D-2-2NM-0/400BAR+PSI-FG

Stock : 1 ea

Price : 280 Baht



Code : ATD079

Model : AT-D-2-2NM-0/10BAR+PSI

Stock : 4 ea

Price : 230 Baht

AT-D-4-2NM

Model : AT-D-4-XXX-XXXXBAR+PSI-FG

Nominal Size : 63 mm
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Direct Center Back Entry
Gauge Connection : 1/4" NPT(M)
Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ATD005

Model : AT-D-4-2NM-0/6BAR+PSI-FG

Stock : 10 ea

Price : 230 Baht

AT-D-4-2BM

Model : AT-D-4-XXX-XXXXBAR+PSI-FG

Nominal Size : 63 mm
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Direct Center Back Entry
Gauge Connection : 1/4" BSP(M)
Accuracy : $\pm 1.6\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled : FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ATD013

Model : AT-D-4-2BM--760MMHG/0+BAR-FG

Stock : 9 ea

Price : 230 Baht



Code : ATD014

Model : AT-D-4-2BM-0/1BAR+PSI-FG

Stock : 10 ea

Price : 230 Baht



Code : ATD015

Model : AT-D-4-2BM-0/2.5BAR+PSI-FG

Stock : 9 ea

Price : 230 Baht



Code : ATD016

Model : AT-D-4-2BM-0/4BAR+PSI-FG

Stock : 7 ea

Price : 230 Baht



Code : ATD017

Model : AT-D-4-2BM-0/6BAR+PSI-FG

Stock : 8 ea

Price : 230 Baht



Code : ATD018

Model : AT-D-4-2BM-0/10BAR+PSI-FG

Stock : 5 ea

Price : 230 Baht



Code : ATD019

Model : AT-D-4-2BM-0/16BAR+PSI-FG

Stock : 9 ea

Price : 230 Baht



Code : ATD020

Model : AT-D-4-2BM-0/25BAR+PSI-FG

Stock : 5 ea

Price : 230 Baht



Code : ATD021

Model : AT-D-4-2BM-0/40BAR+PSI-FG

Stock : 9 ea

Price : 230 Baht

AT-D-2-2BM

Model :AT-D-2-XXX-XXXXBAR+PSI-FG

Nominal Size : 63 mm.
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Direct Bottom Entry
Gauge Connection : 1/4" BSP(M)
Accuracy : +-1.6% of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ATD039

Model : AT-D-2-2BM-1/1.5BAR+PSI-FG

Stock : 20 ea

Price : **240 Baht**



Code : ATD040

Model : AT-D-2-2BM--1/3BAR+PSI-FG

Stock : 2 ea

Price : **280 Baht**



Code : ATD042

Model : AT-D-2-2BM-0/100BAR+PSI-FG

Stock : 25 ea

Price : **260 Baht**



Code : ATD043

Model : AT-D-2-2BM-0/160BAR+PSI-FG

Stock : 13 ea

Price : **270 Baht**



Code : ATD078

Model : AT-D-2-2BM-1-5BAR+PSI-FG

Stock : 9 ea

Price : **280 Baht**

AT-D-12-2BM

Model :AT-D-2-XXX-XXXXBAR+PSI-FG

Nominal Size : 63 mm.
Case & bezel : Bayonet,AISI 304 SS
Bourdon tube,Socket : Brass
Type of mounting : Center Back Entry With Front Flange
Gauge Connection : 1/4" BSP(M)
Accuracy : +-1.6% of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : ATD022

Model : AT-D-12-2BM--760MMHG/0+BAR-FG

Stock : 9 ea

Price : **270 Baht**



Code : ATD023

Model : AT-D-12-2BM-0/1BAR+PSI-FG

Stock : 10 ea

Price : **270 Baht**



Code : ATD024

Model : AT-D-12-2BM-0/2.5BAR+PSI-FG

Stock : 10 ea

Price : **270 Baht**



Code : ATD025

Model : AT-D-12-2BM-0/4BAR+PSI-FG

Stock : 10 ea

Price : **270 Baht**



Code : ATD026

Model : AT-D-12-2BM-0/6BAR+PSI-FG

Stock : 2 ea

Price : **270 Baht**



Code : ATD030

Model : AT-D-12-2BM-0/40BAR+PSI-FG

Stock : 6 ea

Price : **270 Baht**



Code : ATD030 [Brand WAREE]

Model : AT-D-12-2BM-0/40BAR+PSI-FG

Stock : 1 ea

Price : **270 Baht**



Code : ATD048

Model : AT-D-12-2BM-0/250BAR+PSI-FG

Stock : 4 ea

Price : 320 Baht



Code : ATD055

Model : AT-D-12-2BM--1/0BAR+PSI-FG

Stock : 5 ea

Price : 290 Baht



Code : ATD061

Model : AT-D-12-2BM-1-3BAR+PSI-FG

Stock : 20 ea

Price : 300 Baht

BE-F-2-2NM

Model : BE-F-2-XXX-XXXX BAR+PSI-FG

Nominal Size : 100 mm.

Case & bezel : Bayonet, AISI 304 SS

Bourdon tube, Socket : AISI 316L SS

Type of mounting : Direct Bottom Entry

Gauge Connection : 1/4 "NPT (M) STANDARD

Accuracy : $\pm 1.0\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled

: FG = Fillable Liquid Glycerine

: SZ = Welded Socket To The Case



Code : BEF001 [Barnd WAREE]

Model : BE-F-2-2NM-0/100BAR-FG

Stock : 1 ea

Price : 810 Baht

BE-F-2-4NM

Model :BE-F-2-XXX-XXXX BAR+PSI-FG

Nominal Size : 100 mm.
Case & bezel : Bayonet, AISI 304 SS
Bourdon tube, Socket : AISI 316L SS
Type of mounting : Direct Bottom Entry
Gauge Connection : 1/2 "NPT (M) STANDARD
Accuracy : $\pm 1.0\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : BEF004

Model : BE-F-2-4NM-0/1BAR+PSI-FG

Stock : 1 ea

Price : 940 Baht



Code : BEF008

Model : BE-F-2-4NM-0/16BAR+PSI-FG

Stock : 5 ea

Price : 1,000 Baht



Code : BEF014 [Barnd WAREE]

Model : BE-F-2-4NM-0/400BAR+PSI-FG

Stock : 2 ea (GLY)

Price : 890 Baht



Code : BEF018

Model : BE-F-2-4NM-0/6KG/CM2+PSI-FG-RX-SK

Stock : 1 ea

Price : 930 Baht



Code : BEF019 [Barnd WAREE]

Model : BE-F-2-4NM-0/7KG+PSI-FG

Stock : 1 ea

Price : 840 Baht



Code : BEF126

Model : BE-F-2-4NM-0/16KG/CM2+PSI-FG-RX-SK

Stock : 3 ea

Price : 980 Baht



Code : BEF355

Model : BE-F-2-4NM-0/1.6BAR+PSI-FG

Stock : 2 ea

Price : 890 Baht

BE-F-3-4NM

Model :BE-F-3-XXX-XXXX BAR+PSI-FG

Nominal Size : 100 mm.

Case & bezel : Bayonet, AISI 304 SS

Bourdon tube, Socket : AISI 316L SS

Type of mounting : Direct Lower Back Entry

Gauge Connection : 1/2" NPT (M) STANDARD

Accuracy : $\pm 1.0\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled

: FG = Fillable Liquid Glycerine

: SZ = Welded Socket To The Case



Code : BEF021 [Barnd WAREE]

Model : BE-F-3-4NM-0/6BAR+PSI-FG

Stock : 5 ea

Price : 840 Baht



Code : BEF022

Model : BE-F-3-4NM-0/10BAR+PSI-FG

Stock : 3 ea

Price : 840 Baht



Code : BEF022 [Barnd WAREE]

Model : BE-F-3-4NM-0/10BAR+PSI-FG

Stock : 2 ea

Price : 840 Baht



Code : BEF022-1

Model : BE-F-3-4NM-0/10KG-CM2+PSI-FG

Stock : 2 ea

Price : 840 Baht



Code : BEF023 [Barnd WAREE]

Model : BE-F-3-4NM-0/16BAR+PSI-FG

Stock : 8 ea

Price : 840 Baht

BE-F-2-2NM

Model :BE-F-3-XXX-XXXX BAR+PSI-FG

Nominal Size : 100 mm.
Case & bezel : Bayonet, AISI 304 SS
Bourdon tube, Socket : AISI 316L SS
Type of mounting : Lower Back Entry With Front Flange
Gauge Connection : 1/2" NPT (M) STANDARD
Accuracy : $\pm 1.0\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled
: FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : BEF138

Model : BE-F-5-4NM-0/16KG/CM2+PSI-FG

Stock : 9 ea

Price : 840 Baht

BE-H-2-4NM

Model :BE-H-2-XXX-XXXX BAR+PSI-FG

Nominal Size : 150 mm.
Case & bezel : Bayonet, AISI 304 SS
Bourdon tube, Socket : AISI 316L SS
Type of mounting : Direct Bottom Entry
Gauge Connection : 1/2"NPT (M) STANDARD
Accuracy : $\pm 1.0\%$ of F.S.

หมายเหตุ : PY = Dampening Liquid Glycerine Filled : FG = Fillable Liquid Glycerine
: SZ = Welded Socket To The Case



Code : BEH025

Model : BE-H-2-4NM-0/16BAR+PSI-FG

Stock : 5 ea

Price : 1,250 Baht



Code : BEH027

Model : BE-H-2-4NM-0/40BAR+PSI-FG

Stock : 1 ea

Price : 1,250 Baht



Code : BEH166

Model : BE-H-2-4NM-0/2000 PSI-FG

Stock : 1 ea

Price : 1,150 Baht



Code : BEH245

Model : BE-H-2-4NM-0/16 KG/CM2+PSI-FG

Stock : 4 ea

Price : 1,180 Baht



Code : BEH306

Model : BE-H-2-4NM-0/4BAR+PSI-FG

Stock : 2 ea

Price : 1,350 Baht

CB-F-4-4NM

Model : CB-F-4-XXX-XX-XX-XX

Nominal Size : 100 mm

Case & bezel : AISI 304 SS

Process Connection Type : FIXED (Standard)

Stem Diameter : 6 mm,/6.35 mm

Stem Length : 150,300 mm.

Type of mouting : Direct Center Back Entry

Connection : 1/2" NPT (M)

Window : Safety Glass

Accuracy : $\pm 1.0\%$ of F.S.

Option : RS = External zero adjustment, : RX = Shatterproof / Safety Glass



Code : CBF002 [Barnd WAREE]

Model : CB-F-4-4NM-ZJ-1U-300MM-0/100C

Stock : 1 ea

Price : 450 Baht



Code : CBF003 [Barnd WAREE]

Model : CB-F-4-4NM-XJ-2M-150MM--40/60C-RS-RX

Stock : 11 ea

Price : 450 Baht

CB-F-14-4NM

Model : CB-F-14-XXX-XX-XX

Nominal Size	: 100 mm.
Type of mouting	: Bottom Entry Through Elbow
Case & bezel	: AISI 304 SS
Process Connection Type	: Adjustable
Stem Diameter	: 6 mm,/ 8mm.
Stem Length	: 100,110,150,200 mm.
Type of mouting	: Bottom Entry Through Elbow
Connection	: 1/2" NPT (M) (Stem Dia Max. 12 mm)
Window	: Safety Glass
Option	: External zero adjustment



Code : CBF006 [Barnd WAREE]

Model : CB-F-14-4NM-ZI-1U-110MM-0/160-RS

Stock : 5 ea

Price : 1,150 Baht



Code : CBF009 [Barnd WAREE]

Model : CB-F-14-4NM-ZI-1U-150MM-0/160C-RS

Stock : 2 ea

Price : 1,050 Baht



Code : CBF010 [Barnd WAREE]

Model : CB-F-14-4NM-ZI-1U-200MM-0/100C-RS

Stock : 1 ea

Price : 1,060 Baht



Code : CBF011 [Barnd WAREE]

Model : CB-F-14-4NM-ZI-1U-200MM-0/120C-RS

Stock : 1 ea

Price : 960 Baht



Code : CBF012 [Barnd WAREE]

Model : CB-F-14-4NM-ZI-1U-200MM-0/160C-RS

Stock : 2 ea

Price : 960 Baht



Code : CBF283

Model : CB-F-14-4NM-ZI-2M-100MM-0/120C-RS

Stock : 1 ea

Price : 1,100 Baht

CB-F-14-4NM

Model : CB-F-14-XXX-XX-XX

Nominal Size	: 100 mm.
Type of mouting	: Direct center back entry
Case & bezel	: AISI 304 SS
Connection	: 1/2" NPT(M)* (Stem Dia. Max. 12 mm)
Process Connection Type	: Adjustable
Stem Diameter	: 6 mm
Stem Length	: 100,110,150,200 mm.
Type of mouting	: Bottom Entry Through Elbow
Window	: Safety Glass
Option	: External zero adjustment



Code : CBF326

Model : CB-F-4-4NM-ZI-1U-300MM-0/200'C-RS

Stock : 5 ea

Price : 830 Baht

CB-F-2-4NM

Model : CB-F-2-XXX-XX-XX-XX

Nominal Size	: 100 mm
Case & bezel	: AISI 304 SS
Process Connection Type	: Adjustable
Stem Diameter	: 6 mm / 8 mm
Stem Length	: 210,350,400 mm.
Window	: Safety Glass
Accuracy	: $\pm 1.0\%$ of F.S.
Type Of Mounting	: Direct Bottom Entry



Code : CBF238

Model : CB-F-2-4NM-ZI-1U-210MM.-0/60C

Stock : 5 ea

Price : 730 Baht



Code : CBF239

Model : CB-F-2-4NM-ZI-1U-400MM-0/60C

Stock : 10 ea

Price : 790 Baht



Code : CBF240

Model : CB-F-2-4NM-ZI-1U-210MM-0/100C

Stock : 2 ea

Price : 730 Baht



Code : CBF241

Model : CB-F-2-4NM-ZI-1U-350MM-0/100C

Stock : 2 ea

Price : 950 Baht



Code : CBF242

Model : CB-F-2-4NM-ZI-1U-350MM-0/200C

Stock : 2 ea

Price : 790 Baht